UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,885	04/24/2006	Mitsuo Kimura	JFE-06-1071	6151
	7590 02/18/200 DLA PIPER US LLP	EXAMINER		
ONE LIBERTY	PLACE	FOGARTY, CAITLIN ANNE		
PHILADELPH	ST, SUITE 4900 IA, PA 19103	ART UNIT	PAPER NUMBER	
		1793		
			MAIL DATE	DELIVERY MODE
			02/18/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			Application No.		Applicant(s)		
Office Action Summary			10/576,885		KIMURA ET AL.		
		E	Examiner		Art Unit		
			CAITLIN FOGAF		1793		
Period fo	The MAILING DATE of this commun or Reply	ication appea	ars on the cove	sheet with the c	orrespondence ac	ddress	
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) 又	Responsive to communication(s) file	ed on 22 Octo	ober 2008				
•	·		ction is non-fin	al.			
3)	Since this application is in condition	<i>′</i> —			secution as to the	e merits is	
٠,١	closed in accordance with the practi		•	•			
Dispositi	on of Claims						
		49 is/are nen	ding in the and	dication			
•	Claim(s) 25,27-29,31,35,36,48 and 49 is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration. □ Claim(s) is/are allowed.						
	Claim(s) <u>25,27-29,31,35,36,48 and</u>	40 is/are reie	cted				
·	Claim(s) is/are objected to.	<u>70</u> 13/410 10j0	otou.				
	Claim(s) are subject to restrict	ction and/or e	election require	ment			
		otion ana/or o	nootion roquiro	mont.			
Applicati	on Papers						
-	The specification is objected to by th						
10)	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
	Applicant may not request that any obje	ction to the dra	awing(s) be held	in abeyance. See	e 37 CFR 1.85(a).		
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority ι	ınder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) Notic 3) Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (F nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	PTO-948)	4)	Interview Summary Paper No(s)/Mail Da Notice of Informal Pa Other:	ite		

Application/Control Number: 10/576,885 Page 2

Art Unit: 1793

DETAILED ACTION

Status of Claims

1. Claims 25, 27 – 29, 31, 35, 36, 48, and 49 are pending where claim 49 is new. Claims 1 – 24, 26, 30, 32 – 34, and 37 – 47 have been cancelled.

Status of Previous Rejections

2. The 35 U.S.C. 103(a) rejection of claims 25, 27 – 29, 31, 35, 36, and 48 as being unpatentable over Kushida et al. (US 6,379,821) in view of the *ASM Handbook* has been withdrawn in view of the arguments filed October 22, 2008.

The provisional rejection of claims 25, 27 – 29, 31, 35, and 36 on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 24 - 35 of copending Application No. 10/568,154 has been maintained.

Claim Rejections - 35 USC § 103

- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 4. Claims 25, 27 29, 31, 35, 36, 48, and 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over the English machine translation of JP 2002-004009 (hereafter JP '009) in view of "Wrought Stainless Steels-Fabrication Characteristics" from the *ASM Handbook*.

With respect to instant claim 25, [0001], [0010], [0027], and [0031] of JP '009 disclose a highly corrosion resistant high strength stainless seamless steel pipe for linepipe with an overlapping composition as shown in the table below.

Application/Control Number: 10/576,885 Page 3

Art Unit: 1793

Element	Instant Claim 25	JP '009	Overlapping Range
	(mass %)	(mass %)	(mass %)
С	0.001 - 0.015	≤ 0.05	0.001 – 0.015
Si	0.01 - 0.5	≤ 0.50	0.01 – 0.5
Mn	0.1 – 1.8	0.30 – 1.50	0.30 – 1.50
Р	≤ 0.03	≤ 0.03	≤ 0.03
S	≤ 0.005	≤ 0.005	≤ 0.005
Cr	15 – 18	11.0 – 17.0	15 – 17.0
Ni	0.5 - 5.5	2.0 - 7.0	2.0 – 5.5
Mo	0.5 - 3.5	≤ 3.0	0.5 - 3.0
V	0.02 - 0.2	≤ 0.20	0.02 - 0.2
N	0.001 - 0.015	≤ 0.15	0.001 – 0.015
0	≤ 0.006	≤ 0.005	≤ 0.005
Optional			
Al	0.002 - 0.05	≤ 0.05	0.002 - 0.05
Cu	≤ 3.5	≤ 3.5	≤ 3.5
Nb, Ti, Zr, B, W, or	≤ 0.2 Nb	≤ 0.20 Nb	≤ 0.20 Nb
Ca	≤ 0.3 Ti	≤ 0.3 Ti	≤ 0.3 Ti
	≤ 0.2 Zr	≤ 0.2 Zr	≤ 0.2 Zr
	≤ 0.01 B	≤ 0.01 B	≤ 0.01 B
	≤ 3.0 W	≤ 3.0 W	≤ 3.0 W
	≤ 0.01 Ca	0.0005 – 0.01 Ca	0.0005 – 0.01 Ca
Fe + Impurities	Balance	Balance	Balance

martensite and contains 10% or less residual austenite which overlaps with the range recited in instant claim 25. JP '009 does not specifically teach that the steel pipe comprises about 10 to about 60% ferrite phase, however, [0031] of JP '009 teaches that a diffraction intensity from (211) of alpha is present. Therefore, ferrite phase is present in the stainless steel seamless pipe. Since the composition of the stainless steel pipe is similar to the composition of the instant invention and since the pipe is made using a similar method, one of ordinary skill in the art would expect the stainless steel seamless pipe of JP '009 to have a similar volume fraction of ferrite phase. See MPEP 2112. In addition, one of ordinary skill in the art would have been motivated to have a base martensite phase with above 15% ferrite phase in order to improve the forgeability of

JP '009 also teaches that the stainless seamless steel pipe has a base phase of

Application/Control Number: 10/576,885

Art Unit: 1793

the steel as evidenced by p. 13-14 of "Wrought Stainless Steels-Fabrication Characteristics".

JP '009 differs from instant claim 25 because it does not specifically teach equations (1), (2), and (3). However, it is well settled that there is no invention in the discovery of a general formula if it covers a composition described in the prior art, *In re Cooper and Foley* 1943 C.D. 357, 553 O.G. 177; 57 USPQ 117, *Taklatwalla v. Marburg*, 620 O.G. 685, 1949 C.D. 77, and *In re Pilling*, 403 O.G. 513, 44 F(2) 878, 1931 C.D. 75. In the absence of evidence to the contrary, the selection of the proportions of elements would appear to require no more than routine investigation by those ordinary skilled in the art. *In re Austin, et al.*, 149 USPQ 685, 688. Therefore, since the composition of the pipe of JP '009 overlaps with the composition of the instant pipe, it would be expected that the pipe of JP '009 would satisfy the limitations of equations (1), (2), and (3).

Instant claims 27 – 29 and 31 further limit the compositions of Ni, Mo, and Cu. However, the stainless steel composition taught by JP '009 still overlaps with the ranges of Ni, Mo, and Cu recited in instant claims 27 - 29 and 31.

In regards to instant claim 35, JP '009 does not specifically teach that the steel pipe comprises about 15 to about 50% ferrite phase, however, [0031] of JP '009 teaches that a diffraction intensity from (211) of alpha is present. Therefore, ferrite phase is present in the stainless steel seamless pipe. Since the composition of the stainless steel pipe is similar to the composition of the instant invention and since the pipe is made using a similar method, one of ordinary skill in the art would expect the

Art Unit: 1793

stainless steel seamless pipe of JP '009 to have a similar volume fraction of ferrite phase. See MPEP 2112. In addition, one of ordinary skill in the art would have been motivated to have a base martensite phase with above 15% ferrite phase in order to improve the forgeability of the steel as evidenced by p. 13-14 of "Wrought Stainless Steels-Fabrication Characteristics".

Regarding instant claims 36 and 49, [0010] of JP '009 discloses that the stainless seamless steel contains 10% or less residual austenite which overlaps with the ranges recited in the instant claims.

With respect to instant claim 48, [0001] and [0027] of JP '009 disclose that the stainless steel seamless pipe may be used in oil wells for crude oil or natural gas. JP '009 does not specifically teach that the pipe is welded together to form the pipeline. However, it would have been obvious to one of ordinary skill in the art that in order to make a pipeline long enough to transport crude oil or natural gas, the stainless steel seamless pipes would require welding to join together the individual pipes.

Since the claimed compositional ranges of claims 25, 27 – 29, 31, 35, 36, 48, and 49 either overlap or are within the ranges disclosed by JP '009, a prima facie case of obviousness exists. See MPEP 2144.05. It would have been obvious to one of ordinary skill in the art at the time the invention was made to select the claimed stainless steel seamless pipe composition from the stainless steel seamless pipe composition disclosed by JP '009 because JP '009 teaches the same utility (i.e. use in oil wells) in the whole disclosed range.

Application/Control Number: 10/576,885

Art Unit: 1793

Double Patenting

Page 6

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

6. Claims 25, 27 – 29, 31, 35, 36, 48, and 49 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 24 – 34 of copending Application No. 10/568,154. Although the conflicting claims are not identical, they are not patentably distinct from each other because the composition and microstructure of the high strength stainless steel seamless pipe recited in 10/568,154 overlaps in scope with the composition and microstructure of the stainless steel seamless pipe recited in claims 25, 27 – 29, 31, 35, 36, 48, and 49 of the instant application. Also, the values of equations (1) and (2) of the instant application overlap with the values of equations (1) and (2) recited in 10/568,154. Furthermore, the instant recited equation (3) would be satisfied by the steel of 10/568,154 since the composition of the steel of 10/568,154 overlaps with the composition of the steel of the

Art Unit: 1793

instant claims. It would have been obvious to one of ordinary skill in the art at the time the invention was made to select the claimed stainless steel pipe alloy composition from the stainless steel pipe alloy composition disclosed by 10/568,154 because 10/568,154 teaches the same utility (i.e. pipes to hold oil) in the whole disclosed range.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Response to Arguments

7. Applicant's arguments with respect to claims 25, 27 – 29, 31, 35, 36, 48, and 49 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to CAITLIN FOGARTY whose telephone number is (571)270-3589. The examiner can normally be reached on Monday - Friday 8:00 AM - 5:30 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

Application/Control Number: 10/576,885 Page 8

Art Unit: 1793

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Roy King/ Supervisory Patent Examiner, Art Unit 1793

CF